
















Evercase Technology (UK) Ltd  
 Unit 4, Randolph Court, Randolph Industrial Estate  
 Kirkcaldy, Fife, KY1 2YY, UK  
 Tel: +44 (0) 1592 655 111, Fax: +44 (0) 1592 655 666  
 Web: www.evercase.co.uk, Email: sales@evercase.co.uk









## 19" CABINETS








Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
1		KM-107 13 41	H:2000/41U x W:600 x D:800	41U Cabinet with single glass door	.Colour: Beige & Dark brown, RAL 9002 & 7022. .Built in steel and aluminium. .6mm smoked security glass door with lock. .2 removable side panels with lock. .1 plain back door with lock. .Adjustable roof for a better ventilation (can be raised to up to 20mm). .Wide version KM-109 13 41 allow more room on both side for heavy cabling.	£300
		KM-109 13 41	H:1955/41U x W:800 x D:800	41U Cabinet with single glass door	.Comes with: 4 vertical adjustable supports to hold all 19" equipments, 4 anti slide adjustable rubber feet, 4 fans under the roof and a bag of 25 nuts, 25 bolts & 25 washers.  Takes options No: 3, 4, 5, 6, 7, 8, 12, 13, 16, 17, 18, 20, 22, 23, 27, 28, 29, 30, 31, 33, 34, 35, 36.	£400
2		KM-306880246	H:2200/46U x W:600 x D:800	46U Cabinet with 3 independent glass doors	.Colour: Beige & Dark brown, RAL 9002/7022. .Build in steel and aluminium. .3 front doors with 6mm security smoked glass & independent key sets. .2 removable side panels with lock. .3 plain back doors with independent key sets. .1 master key to open all doors. .Each compartments is about 63cm high. .Adjustable roof for a better ventilation (can be raised to up to 20mm).  .Comes with: 4 vertical adjustable supports to hold all 19" equipments, 4 anti slide adjustable rubber feet, 4 fans under the roof and a bag of 25 nuts, 25 bolts & 25 washers	 £500
		 			Takes options No: 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 18, 20, 22, 23, 24, 27, 28, 29, 30, 31, 33, 34, 35, 36.	






Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
3		KM-300 68 41	H:2000/41U x W:600 x D:800	41U cabinet with single smoked glass door.	.Colour: Beige & Dark brown, RAL 9002 & 7022. .Built in steel and aluminium. .6mm smoked security glass door with lock. .2 removable side panels & 1 plain back door all with lock. .Adjustable roof for a better ventilation (Raised to up to 20mm).	£300
		KM-301 69 41	H:2000/41U x W:600 x D:900		<b>.Comes with: 4 vertical adjustable supports to hold all 19" equipments, 4 anti slide adjustable rubber feet, 4 fans under the roof and a bag of 25 nuts, 25 bolts &amp; 25 washers.</b> <u>Takes options No: 4, 5, 6, 7, 8, 9 (10 &amp; 11 for KM-300 68 41 only), 12, 13, 14, 15, 18, 20, 22, 23, 24, 27, 28, 29, 30, 31, 33, 34, 35, 36.</u> .KM-300 68 41 Comes with cover base, cable entry hole at bottom, and with Humidistat/Termostat. .KM-301 69 41 Comes with NO base (Open gap at bottom) and does not take the optional base cover.	£400





### OPTIONAL ACCESSORIES

3		112.53.00	430x590mm	Base Cover	Used to covers the gap at the bottom of the 19" cabinet. Steel. Painted black RAL 7022. Supplied with nuts and bolts. Base covers with 2 or 4 fans are also available.	£15
4		115.12.02	89(2U)x482.6(19")x3mm	2U Front Cover	Used to cover the empty space between 2 rackmounts. 89mm heigh equivalent to 2U. 3mm aluminium. Painted beige RAL9002. Nuts and bolts NOT included.	£15
5		115.12.04	178(4U)x482.6(19")x3mm	4U Front Cover	Used to cover the empty space between 2 rackmounts. 178mm heigh equivalent to 4U. 3mm aluminium. Painted beige RAL9002. Nuts and bolts NOT included.	£20
6		115.50.00	40(1U)x482.6(19")x67mm	Cable Tidy Bar (5 rings)	Allows guidance and distribution of cables. 1.5 & 3mm Steel, Painted beige RAL9002. Nuts and bolts NOT included.	£25
7		116.12.60	50x423x57mm	Socket strip with 6 European sockets	<b>EURO Socket strip.</b> 6Sockets. Wire length: 145cm. Can be fitted horizontally or vertically in the cabinet. Comes with adjustable brackets, nuts and bolts. No UK socket trip available.	£30

Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
8		117.07.02	42x480x400mm	19" Fan unit with 2 fans.	Fan specs: 230V CA, 50/60Hz, 15/14W, 110/90mA, 2600/2900RPM, 37/41dB (A), 7.5/9mm/H2O, 162/192M3/H. 1 to 4mm steel, Supplied with power cord. Nuts and bolts NOT included.	£90
9		323.13.02	270x820x15mm	1/3 Full cover	Covers 1/3 of the opening at top or bottom. Use 3 to cover the whole gap. Steel. Painted RAL7022. Supplied with 2 screws. Can only be used with cabinet KM-306880246, KM-300 68 41 & KM-301 69 41 to cover the gap on top if the fans are removed.	£10
10		324.68.00	117x575x775mm	Plinth with <b>NO</b> ventilation holes for cabinet 600Wx800D	Increases the cabinet's height of 117mm. Steel. Painted RAL 7022. Supplied with bolts. Can only be used with cabinet KM-306880246 & KM-300 68 41. Rubber feet can be used with plinth.	£60
11		324.68.01	117x575x775mm	Plinth with ventilation holes for cabinet 600Wx800D	Increases the cabinet's height of 117mm. Steel. Painted RAL 7022. Supplied with bolts. Can only be used with cabinet KM-306880246 & KM-300 68 41. Rubber feet can be used with plinth.	£65
12		325.00.41	41Ux96x30mm	Vertical cables tray 41U1 height	Designed to hold cables running vertically. Perforated to allow the use of cable ties. 1.2mm steel. Bichromated finish.	£30
13		327.00.01	58x32x33mm	Thermostat	Used to control fans and temperature. Connect between fans and main, select temperature level and thermostat will start fans only if too hot. Includes all necessary nuts & bolts for installation.	£40
14		327.33.12	45x383x383mm	Ventilation unit with 2 fans. To be used with the multifunction frame only.	1.5mm steel, Black grey. Fan specs: 230V CA, 50/60Hz, 15/14W, 110/90mA, 2600/2900RPM, 37/41dB (A), 7.5/9mm/H2O, 162/192M3/H. Supplied with screws and power cord. Can only be used with cabinet KM-306880246, KM-300 68 41 & KM-301 69 41	£90
15		327.33.14	45x383x383mm	Ventilation unit with 4 fans. To be used with the multifunction frame only.	1.5mm steel, Black grey. Fan specs: 230V CA, 50/60Hz, 15/14W, 110/90mA, 2600/2900RPM, 37/41dB (A), 7.5/9mm/H2O, 162/192M3/H. Supplied with screws and power cord. Can only be used with cabinet KM-306880246, KM-300 68 41 & KM-301 69 41	£120

Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
16		117.06.22	40x403x588mm	Ventilation unit with 2 fans	<b>All cabinet already include 4fans on top. This extra 2fans can be placed at the bottom of the cabinet.</b> Steel. Beige. Fan specs: 230V CA, 50/60Hz, 15/14W, 110/90mA, 2600/2900RPM, 37/41dB (A), 7.5/9mm/H2O, 162/192M3/H. Supplied with screws and power cord. Only suitable for KM-107 13 41, KM-109 13 41	£70
17		117.06.24	40x403x588mm	Ventilation unit with 4 fans	<b>All cabinet already include 4fans on top. This extra 4fans can be placed at the bottom of the cabinet.</b> Steel. Beige. Fan specs: 230V CA, 50/60Hz, 15/14W, 110/90mA, 2600/2900RPM, 37/41dB (A), 7.5/9mm/H2O, 162/192M3/H. Supplied with screws and power cord. Only suitable for KM-107 13 41, KM-109 13 41	£90
18		328.60.01	42x35x530mm	L shaped support. Long	Pair of "L" shape supports. No screws required. 1.5mm steel, Bichromated, Takes up to 30Kg per pair. <b>Distance between front and back supports must be 493mm.</b>	£15
20		328.00.02	44x57x144mm	Small "L" shaped support	Pair of "L" shape supports. No screws required. 1.5mm steel, Bichromated, Takes up to 15Kg per pair. Fitted on the front metal supports only.	£10
22		331.02.01	43(1U)x482.6(19")x8	Front Cable Entry Panel	Allows the entry of cables inside the cabinet. Holes size: 389x20.5mm. 1.5mm Steel. Painted beige RAL9002. Nuts and bolts NOT included.	£10
23		331.03.01	43(1U)x482.6(19")x50mm	Cable Organiser	Designed to organise and gather cables. Place the cables in and replace the screwless cover. 1.5 & 2mm Steel. Painted beige RAL 9002. Nuts and bolts NOT included.	£25
24			H:95mm	Set of 4 castors	Set of 4 x Nylon white castor. Load Capacity per castor: 110Kg Total load: 440Kg). Includes all necessary nuts & bolts. 2 with Brake, 2 with NO brake.	£50

Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
27		338.00.01	25cm long	Earth connection cable kit	Used to connect all parts to the ground. Includes 5 x 25cm wires. Includes all necessary nuts & bolts.	£10
28		900.28.77	60x60x15mm	Support Cable Ring	Hooks enable the creation of cable packages as well as changes in the configuration. Facilitate cable tidy. 3mm steel. Painted beige RAL7032. Nuts and bolts NOT included.	£5
29		901.19.02	87(2U)x480x360mm	Front Fixing Tray	Screwed from the front only, this tray is designed to support light weight equipment (up to 15kg). 2mm steel. Painted beige RAL9002. Space required between vertical support: 440mm. Nuts and bolts NOT included.	£17
30		334.00.01	20mm long	Nuts + Bolts + Washers Bags containing <b>25pcs.</b>	Suitable for the fixing of equipment and cabinet options on the metal vertical supports.	£10
31		334.00.02	20mm long	Nuts + Bolts + Washers Bags containing <b>100pcs.</b>	Suitable for the fixing of equipment and cabinet options on the metal vertical supports	£25

Item No	Photo	Model No	DIMENSIONS HxWxD	ITEM	DESCRIPTION	Promo Price £
33		SLR3500	Extendable from 540 to 680mm	Telescopic 19" rail set.	Used to install 19" rackmounts in Cabinets. Supplied with screws.	£30
34		EYE RAILS	Extendable from 500 to 700mm	Telescopic 19" rail set.	Used to install 19" rackmounts in Cabinets. For EYE2831 / EYE4800 Rackmounts. Supplied with screws.	£30
35		UK Power Cord	1.7m long	<b>UK Power cord:</b> IEC60320 C13 to BS1363	All electrical equipments are already supplied with a UK Power Cord. Order this item if more UK Power Cords are required.	£2
36		Euro Power Cord	2m long	<b>Euro Power cord:</b> IEC60320 C13 to CEE 7/7	All electrical equipments are already supplied with a UK Power Cord. Order this item if Euro Power Cords are required.	£2

**Note:**

- Prices may change at any time without notice.
- Prices include a massive discount and are valid whatever quantity ordered.
- Prices do not include VAT and carriage.
- Shipping cost to UK mainland: 1 to 2 Cabinets: £50 (Pallet rate).
- Goods can be sent oversea. Contact us for shipping costs.
- Payment: Credit card, Bank transfer, Cheque, Online payment prior dispatch.
- Price list 01.01.2012